

**DOUBLE LIGHT 140 LED**  
COD: E5594-LBN-40



Use:  
outside, led  
Installation:  
Wall mounted  
Body/structure:  
EN AB-47100 Die-cast aluminium body  
Coating:  
Polyester powder coating with special treatment for outdoor use

Colour:  
Black  
Optic/reflector:  
Metacrylate LED lens  
Equipment:  
Silicon rubber gaskets  
Glass/diffuser:  
Clear tempered glass  
Cable gland:  
Silicon rubber cable gland PG11

Control gear:  
Integrated LED diodes ballast, stabilized output current 700mA dc

Voltage: 220-240V 50/60Hz  
Beam angle : Symmetric, double emission 40 Degrees  
Insulation class: Insulation class 1  
Weight: 4,100 kg  
IP rating: 65  
Glow wire: [650 °C]  
Lamp included: Yes  
Kind of led: Power LED  
Luminaire wattage: 28 W  
Luminous flux: 5000 lm  
Lamp/led rated life: 50000 hours L80 B20  
Colour temperature: 4000K  
CRI: 80  
Color constancy: 4 SDCM

Review board: 28-05-2014



Lamp: 2 x LED 22 W 2500 lm
















**DOUBLE LIGHT 140 LED**

COD: E5594-LBN-40



**DOUBLE LIGHT 140 LED**  
COD: E5594-LBN-40

