

## JAX EYE MINOR

### *Adjustable LED Downlights Range*

JAX Eye family combines a unique blend of form and function by providing lighting designers with extremely versatile luminaires and the ultimate in efficient performance. The smooth and easy tilt with rotational control coupled with a sleek rebated bezel work in harmony to reduce glare.

# JAX EYE MINOR

## Adjustable LED Downlights Range



### Features

- Constructed with a diecast bezel and drop forged heatsink
- Reflectors are anodised aluminium
- Standard 40° beam angle
- CRI 90+
- Available in 3000K & 4000K colour temperature
- Quick and Easy –installation
- Dimmable – refer driver platform for options
- 50,000 Hours (L70)
- Single and Twin mounting option with 15W engine
- 3 year warranty

### Applications

- Designed for retail, commercial, and hospitality

### Specifications

	Single	Twin
Colour temp	3000K and 4000k	3000K and 4000k
Lumen output	See chart	See chart
CRI	>90	>90
Macadams step	3 SDCM	3 SDCM
Beam distribution	Symmetric	Symmetric
Default beam angle	40°	40°
Lumen maintenance	L70 50,000hrs	L70 50,000hrs
Control	Remote	Remote
Dimensions	Ø134 x h:108mm	Ø264 x h:129mm
Cutout	Ø123mm	R61.5 x 130mm
Min recessed depth	140mm	160mm
Power factor	0.9	0.9
Electrical rating	Class III	Class III

# JAX EYE MINOR

## Adjustable LED Downlights Range

### Technical Requirements

15W	Required Component	
	Driver	15W
	DAD20F03501	Non-Dim
	DAD20D03501	DALI
	DAD20V035001	1-10V
* = Factory Default		350mA*

Body selection	Description	Wattage	Lumens Initial	Lumens Exit	mA setting
JE134371A	JAX EYE MINOR 15W 3000K 40° REFL GEN6 WHITE	15	1387		350
JE134372A	JAX EYE MAJOR 15W 3000K 40° REFL GEN6 BLACK	15	1387		350
JET2643701A*	JAX EYE TWIN MAJOR 2 X 15W 3000K 40° REF GEN6 WHITE	2 x 15W	2 x 1387		350
JET2643702A*	JAX EYE TWIN MAJOR 2 X 15W 3000K 40° REF GEN6 BLACK	2 x 15W	2 x 1387		350



\* Requires 2 drivers per fitting

# JAX EYE MINOR

## Adjustable LED Downlights Range

### Technical Requirements



#### JAX EYE MINOR



Ø134mm

Cut out Ø123mm 

#### JAX EYE TWIN MINOR



130

Cut out R61.5 

